

TELECRANE

工業級無線遙控器

F21系列



F21-2S/2D

F21-4S/4D

F21-E1

F21-4SB

F21-E1B

產品特色

- 低電耗兼具環保，2顆 AA 電池(三號電池)可持續使用長達 2 個月。
- 超過 43 億組ID 識別碼，永不重複。
- 外殼玻璃纖維加尼龍材質，防摔耐用。
- 搭配Microsoft Windows 的應用程式，可輕鬆自定義操作按鍵
- 工作溫度範圍: -35 °C ~ +80 °C



F21-2S(S)






F21 系列特點	
發射功率	<10mW
ID 識別碼	43億組(32位元)
操作溫度範圍	-35 °C ~ +80 °C
外殼材質	玻璃纖維+尼龍
操作距離	最遠可達 100公尺
發射器電源	2顆 AA電池

F21-2/4/E1/E1B 發射器		
型號	重量(無電池)	尺寸(長x寬x高)
F21-2S/2D	120g	130x45x22mm
F21-4/E1	265g	156x61x51mm
F21-4SB/E1B	380g	164x75x46mm
F21-2/4/E1/E1B 接收器		
F21-2/4/E1/E1B	550g	185x85x85mm
F21-2S(S)	352g	84x82x48mm

TELECRANE

工業級無線遙控器

F21系列



配件



拷貝機



被動天線



保護套



電池充電器

TELECRANE

Industrial Radio Remote Control

F21 Series



F21-2S/2D

F21-4S/4D

F21-E1

F21-4SB

F21-E1B



F21-2S(S)

Features

Low Power Consumption(Eco-Friendly)

2 AA Size Batteries last up to 2 months in regular operation.

Enclosure Durability(Harsh Environment)

Nylon-Fiber made housing for extra shock resistant.

Windows Software

Programmable function setting through PC.

Pre-Wiring Receiver

Receiver pre-installed wire made the installation easy and fast ever.






F21 Series SPEC.	
Emission Power	<10mW
ID Code	4.3 billion(32 bits)
Operating Temp.	-35~80°C
Enclosure	Nylon Fiber
Operating Distance	Up to 100M
Transmitter Power	2 AA size Batteries

F21-2/4/E1/E1B Transmitter		
Model	Weight	Dimension
F21-2S/2D	120g	130x45x22mm
F21-4/E1	265g	156x61x51mm
F21-4SB/E1B	380g	164x75x46mm
F21-2/4/E1/E1B Receiver		
F21-2/4/E1/E1B	550g(w/o cable)	185x85x85mm
F21-2S(S)	352g(w/o cable)	84x82x48mm

TELECRANE

Industrial Radio Remote Control

F21 Series



ACCESSORIES



Copier



Passive Antenna



Tx Protective Cover



Battery Charger



Company: PENG WARNING CO., LTD.
Email: peng.w1688@msa.hinet.net

PH: +886-6-233-9484
Fax: +886-6-233-9485