



# N-Tech Cable Co., Ltd.

1/F, No.60, Lane Xiao-She, Dong Gang Road, Yi-Lan City, Yi-Lan County 26057, Taiwan

T: +886-3-937-0608 F: +886-3-937-4806

e-mail: [jack@n-tech.com.tw](mailto:jack@n-tech.com.tw) [www.n-tech.com.tw](http://www.n-tech.com.tw)

## iPad to HDMI Adapter (IPHD-01)

Overview Use the iPad Dock Connector to HDMI Adapter to connect an iPad to your television, projector, or HDMI display. Then see your videos and slideshows on the big screen. The iPad Dock Connector to HDMI Adapter connects to your iPad or iPad Dock via the dock connector and to your projector or display using the HDMI.

### FEATURE

- Display port 1.1 compliant receiver offering 5.4 Gbps over 2 lanes.
- Easy link to show on big screen.
- Encrypted HDCP key storage using on-board memory or optional external EEPROM.
- ESD protect : Human Body Mode at 8kV, Machine Mode at 400V, and Charged Device Mode at 2kV.
- Resolution : 480P, 720P, 1080i, 1080P
- Support audio output from HDMI interface.
- Compliant for iPad / iPhone 4S / iPod touch 4<sup>th</sup>







Items	Adapter
Apple 30pin source input port	1
Video device output port	1
Power charge input port	1
Apple 30pin source port connector	Apple 30 pin (male)
Video device port connector	HDMI 19 pin (female)
USB Power charge port connector	USB A (female)
Video band width (bps)	5.7G link
Single link range	Max:1920 x 1200 (For Apple:1024 x 768/720p)
Vertical frequency range	60Hz
Operation temperature	0 ~50°C
Storage temperature	-40 ~ 85°C
Enclosure	Plastic