



美樂金有限公司

MARIGOLD CO., LTD.

tel:03-4260096 fax:03-4260090

32054 桃園縣中壢市民權路四段460號



POP 平面小唇 SM

規格牙距 Thread Size		型號 Item No	直徑 Diameter	長度 Length	面徑 Head Diameter	面厚 Height	鉚接厚度 Grip Range	鑽孔徑 Hole
M4 x 0.7	#8-32	SM4-E	6.0	10.0	7.0	0.45	0.5~2.0	6.10
M5 x 0.8	#10-24.32	SM5-E	7.0	12.0	8.0	0.50	0.5~2.5	7.10
M6 x 1.0	1/4- 20	SM6-E	9.0	15.0	10.0	0.50	0.8~3.0	9.10
M8 x 1.25	5/16-18	SM8-E	11.0	16.0	12.0	0.50	0.9~3.0	11.10
M10 x 1.5	3/8-16	SM10-E	13.0	20.5	13.9	0.70	1.0~4.0	13.10
M3 x 0.5	#6-32	SM3-A	4.8	9.0	5.3	0.40	0.5~1.5	4.90
M4 x 0.7	#8-32	SM4-A	6.4	10.4	7.1	0.45	0.5~2.0	6.50
M5 x 0.8	#10-24.32	SM5-A	7.1	12.0	8.1	0.50	0.5~2.5	7.20
M6 x 1.0	1/4- 20	SM6-A	9.5	15.0	10.5	0.60	0.8~3.0	9.60
M8 x 1.25	5/16-18	SM8-A	10.5	16.0	11.5	0.60	0.9~3.0	10.60
M8 x 1.25	5/16-18	SM8-AO	12.7	19.0	13.9	0.70	1.0~4.0	12.80
M10 x 1.5	3/8-16	SM10-A	12.7	19.0	13.9	0.70	1.0~4.0	12.80
M10 x 1.5	3/8-16	SM10-AL	12.7	22.5	13.9	0.70	2.0~5.0	12.80

材質:碳鋼 (Cr+3)

(單位: mm)



POP 平面大唇 LM

規格牙距 Thread Size		型號 Item No	直徑 Diameter	長度 Length	面徑 Head Diameter	面厚 Height	鉚接厚度 Grip Range	鑽孔徑 Hole
M3 x 0.5	#6-32	LM3	5.0	9.5	8.0	0.70	0.3~1.8	5.1
M4 x 0.7	#8-32	LM4	6.0	11.2	9.0	0.80	0.5~2.0	6.1
M5 x 0.8	#10-24.32	LM5	7.0	12.8	10.0	1.00	0.5~2.5	7.1
M5 x 0.8	#10-24.32	LM5-D	7.0	13.0	11.0	1.00	0.5~2.5	7.1
M6 x 1.0	1/4-20	LM6	9.0	16.0	13.0	1.50	0.8~3.0	9.1
M8 x 1.25	5/16-18	LM8	11.0	18.0	15.0	1.50	0.9~3.0	11.1
M10 x 1.5	3/8-16	LM10	13.0	20.0	17.0	1.50	1.0~4.0	13.1
M10 x 1.5	3/8-16	LM10-L	13.0	24.0	19.0	2.00	1.0~5.0	13.1

材質:碳鋼 (Cr+3)

(單位: mm)

另有不銹鋼及四角、六角、封閉拉帽供洽詢。



美樂金有限公司

MARIGOLD CO., LTD.

tel:03-4260096 fax:03-4260090

32054 桃園縣中壢市民權路四段460號



輻花小唇 AVP SM

規格牙距 Thread Size		型號 Item No	直徑 Diameter	長度 Length	面徑 Head Diameter	面厚 Height	鉚接厚度 Grip Range	鑽孔徑 Hole
M3 x 0.5	#6-32	AVP SM3	5.0	9.0	5.7	0.40	0.5~1.5	5.1
M4 x 0.7	#8-32	AVP SM4	6.0	10.0	7.0	0.45	0.5~2.0	6.1
M4 x 0.7	#8-32	AVP SM4-L	6.0	12.0	7.0	0.45	2.5~4.0	6.1
M5 x 0.8	#10-24.32	AVP SM5	7.0	12.0	8.0	0.50	0.5~2.5	7.1
M5 x 0.8	#10-24.32	AVP SM5-L	7.0	14.0	8.0	0.55	2.5~4.0	7.1
M6 x 1.0	1/4- 20	AVP SM6	9.0	15.0	10.0	0.50	0.7~3.0	9.1
M6 x 1.0	1/4- 20	AVP SM6-L	9.0	17.0	10.0	0.50	3.0~5.0	9.1
M8 x 1.25	5/16-18	AVP SM8	11.0	16.0	12.0	0.50	1.0~3.0	11.1
M8 x 1.25	5/16-18	AVP SM8-L	11.0	18.5	12.0	0.50	3.0~5.5	11.1
M10 x 1.5	3/8-16	AVP SM10	13.0	20.5	14.1	0.60	1.0~4.0	13.1
M10 x 1.5	3/8-16	AVP SM10-L	13.0	23.5	14.1	0.60	4.0~6.0	13.1

材質:碳鋼 (Cr+3)

(單位: mm)



輻花大唇 AVP LM

規格牙距 Thread Size		型號 Item No	直徑 Diameter	長度 Length	面徑 Head Diameter	面厚 Height	鉚接厚度 Grip Range	鑽孔徑 Hole
M3 x 0.5	#6-32	AVP LM3	5.0	10.5	8.0	0.70	0.5~2.0	5.1
M4 x 0.7	#8-32	AVP LM4	6.0	11.0	9.0	0.80	0.5~2.5	6.1
M5 x 0.8	#10-24.32	AVP LM5	7.0	13.0	10.0	1.00	0.7~3.0	7.1
M5 x 0.8	#10-24.32	AVP LM5-L	7.0	14.5	10.0	1.00	3.0~4.5	7.1
M6 x 1.0	1/4-20	AVP LM6	9.0	16.5	13.0	1.50	0.8~3.0	9.1
M6 x 1.0	1/4-20	AVP LM6-L	9.0	18.5	13.0	1.50	3.0~5.0	9.1
M8 x 1.25	5/16-18	AVP LM8	11.0	17.5	16.0	1.50	1.0~3.0	11.1
M8 x 1.25	5/16-18	AVP LM8-L	11.0	21.0	16.0	1.50	3.0~5.5	11.1
M10 x 1.5	3/8-16	AVP LM10-S	13.0	21.0	17.0	2.00	1.0~3.5	13.1
M10 x 1.5	3/8-16	AVP LM10	13.0	24.0	19.1	2.00	1.0~4.0	13.1
M12 x 1.75		AVP LM12	15.9	25.2	21.7	2.00	1.0~4.0	16.0

材質:碳鋼 (Cr+3)

(單位: mm)

另有不銹鋼及四角、六角、封閉拉帽供洽詢。



美樂金有限公司
MARIGOLD CO., LTD.

tel:03-4260096 fax:03-4260090

32054 桃園縣中壢市民權路四段460號




輻花小唇 AK SM

規格牙距 Thread Size		型號 Item No	直徑 Diameter	長度 Length	面徑 Head Diameter	面厚 Height	鉚接厚度 Grip Range	鑽孔徑 Hole
M4 x 0.7	#8-32	AK SM4	6.70	11.10	7.85	0.50	0.5~2.0	6.80
M5 x 0.8	#10-24.32	AK SM5	7.50	12.50	8.65	0.50	0.5~3.3	7.60
M6 x 1.0	1/4- 20	AK SM6	9.90	15.30	11.60	0.55	0.7~4.0	10.00
M8 x 1.25	5/16-18	AK SM8	13.45	18.00	15.10	0.55	0.7~3.8	13.50
M10 x 1.5	3/8-16	AK SM10	13.45	18.00	15.10	0.55	0.7~3.8	13.50

材質:碳鋼 (Cr+3)

(單位: mm)



輻花大唇 AK LM

規格牙距 Thread Size		型號 Item No	直徑 Diameter	長度 Length	面徑 Head Diameter	面厚 Height	鉚接厚度 Grip Range	鑽孔徑 Hole
M4 x 0.7	#8-32	AK LM4	6.70	11.45	9.90	0.75	0.5~2.0	6.80
M5 x 0.8	#10-24.32	AK LM5	7.50	12.85	10.55	0.75	0.5~3.3	7.60
M6 x 1.0	1/4-20	AK LM6	9.90	15.50	12.70	0.75	0.7~4.0	10.00
M8 x 1.25	5/16-18	AK LM8	13.45	18.40	17.40	0.90	0.7~3.8	13.50
M10 x 1.5	3/8-16	AK LM10	13.45	18.40	17.40	0.90	0.7~3.8	13.50

材質:碳鋼 (Cr+3)

(單位: mm)

✧ 另有不銹鋼及四角、六角、封閉拉帽供洽詢。